

## Company Facilities

### Operations Center

428台中市大雅區科雅路31號5樓  
5F, No.31, Keya Rd., Daya Dist., Taichung City 428, Taiwan  
TEL: +886-4-2568-9987 FAX: +886-4-2568-7763 E-mail: sales@winstar.com.tw

### Taiwan-Taipei Office

台北市信義區信義路五段5號5樓(5B02室)  
Rm. 5B02, 5F, No.5, Sec. 5, Xinyi Rd., Xinyi Dist., Taipei City 110, Taiwan  
TEL: 02-2758-0842 #12 E-mail: sales@winstar.com.tw

### China-Jiang Su LCM Facility

大陸江蘇省常熟市辛莊鎮台資工業區  
Taiwan Industrial Park, Xin Zhuang Town, Chang Shu City, Jiang Su Province, China  
TEL: +86-512-5248-8236 FAX: +86-512-5248-8235 E-mail: sales@winstar.com.tw

### China-Dongguan LCM Facility

大陸廣東省東莞市大嶺山鎮向東工業區  
Xiangdong Industrial District, Dalingshan Town, Dongguan City, Guangdong, China  
TEL: +86-769-8278-8236 FAX: +86-769-8278-8235 E-mail: sales@winstar.com.tw

### China-Hubei Branch

大陸湖北省武漢市東湖開發區光谷時代廣場B座2512號  
N0.2512, Block B, Optics Valley Times Square, East Lake High-tech Development Zone,  
Wuhan City, Hubei Province, China  
TEL: +86-27-5936-2559/8/7 FAX: +86-27-5959-8157

### Myanmar - Bago LCM Facility

Holding No. 21/1-A, Latpanwin Kwin, Field No. (1172), Latpanwin Village, Bago Township, Myanmar  
E-mail: sales@winstar.com.tw

### USA Subsidiary

13017 Artesia Blvd. Suite D230, Cerritos, CA 90703 USA  
TEL: +1 562 402 1135 E-mail: sales@winstar.com.tw



www.winstar.com.tw



**YOUR BEST DISPLAY SOLUTION PROVIDER**

12,500+ PRODUCTS 26 YEARS+ EXPERIENCE

Stock No.  
**6916**



Display Format	Model No.	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Character Size (WxH)mm	Duty	Interface	IC	
8x2	WH0802A1	58x32	38x16	2.96x5.56	1/16	6800,SPI,I2C	ST7066,RW1063	
12x2	WH1202A	55.7x32	46x14.5	2.65x5.5	1/16	6800,SPI,I2C	ST7066,RW1063	
16x1	WH1601A	80x36	66x16	3.07x6.56	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH1601B	85x28	66x16	3.07x6.56	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH1601L	122x33	99x13	4.84x8.06	1/16	6800,SPI,I2C	ST7066,RW1063	
16x2	WH1602A	84x44	66x16	2.95x5.55	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH1602B	80x36	66x16	2.95x5.55	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH1602C	85x36	66x16	2.95x5.55	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH1602D	85x30	66x16	2.95x5.55	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH1602J	80x36	66x16	2.95x5.55	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH1602L1	122x44	99x24	4.80x8.56	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH1602M	85x32.6	66x16	2.95x5.55	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH1602O	85x25.2	66x16	2.95x5.55	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH1602P	85x25.2	66x16	2.95x5.55	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH1602S	59x29.3	52x15	2.45x4.67	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH1602T	65.4x28.2	54.8x19	2.67x5.57	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH1602V2	66.7x23.3	61x15.9	2.95x5.55	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH1602W	80x36	66x16	2.95x5.55	1/16	6800,SPI,I2C	ST7066,RW1063	
	16x4	WH1604A	87x60	62x26	2.95x4.75	1/16	6800,SPI,I2C	ST7066,RW1063
		WH1604B	70.6x60	60x32.6	2.95x4.75	1/16	6800,SPI,I2C	ST7066,RW1063
20x2	WH2002A	116x37	85x18.6	3.2x5.55	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH2002D	89x21.5	75x15	2.95x5.15	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH2002L	180x40	149x23	6x9.66	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH2002M	146x43	123x23	4.84x9.22	1/16	6800,SPI,I2C	ST7066,RW1063	
20x4	WH2004A	98x60	77x25.2	2.95x4.75	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH2004B	98x60	77x25.2	2.95x4.75	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH2004D	77x47	60x22	2.3x4.03	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH2004L	146x62.5	123.5x43	4.84x9.22	1/16	6800,SPI,I2C	ST7066,RW1063	
	WH2004H	87x58	74.4x24.8	2.95x4.75	1/16	6800,SPI,I2C	RW1063	
WH2004G	87x58	74.4x24.8	2.95x4.75	1/16	6800,SPI,I2C	RW1063		
24x2	WH2402A	118x36	94.5x16	3.2x5.55	1/16	6800,SPI,I2C	ST7066,RW1063	
40x2	WH4002A	182x33.5	154.4x16.5	3.20x5.55	1/16	6800,SPI,I2C	ST7066,RW1063	
40x4	WH4004A1	190x54	147x29.5	2.78x4.89	1/16	6800	ST7066	
	WH1602BR	80x36	66x16	2.95x5.55	1/16	UART	ST7066	
16x2	WH1602LR	122x 44	99x24	4.8 x 8.06	1/16	UART	ST7066	
	WH2002AR	116x37	85x18.6	3.20 x 5.55	1/16	UART	ST7066	
20x4	WH2004AR	98x60	77x25.2	2.95x4.75	1/16	UART	ST7066	

Display Format	Model No.	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Dot Pitch (WxH)mm	Duty	Interface	IC
122x32	WG12232A	84x44	60x18	0.44x0.49	1/32	6800	SBN1661G
	WG12232B	65.4x28.2	54.8x19	0.40x0.45	1/32	6800	SBN1661G
	WG12232BP1	65.4x28.2	54.8x19	0.40x0.45	1/32	6800	SBN1661G
	WG12232C	84x44	60x18	0.44x0.49	1/32	6800	SBN1661G
	WG12232D	59x29.3	52x15	0.375x0.375	1/32	6800	SBN1661G
	WG12232E	80x36	60x18	0.44x0.49	1/32	6800	SBN1661G
	WG12232G	65.4x28.2	54.8x19	0.40x0.45	1/32	6800	SBN1661G
	WG12232I	59x29.3	52x15	0.375x0.375	1/32	6800	SBN1661G
	WG12232J	80x36	60x18	0.44x0.49	1/32	6800	SBN1661G
	WG12232K	59x32.1	52x15	0.375x0.375	1/32	6800	SBN1661G
	WG12232O	77.8x27.2	60x18	0.44x0.49	1/32	6800	SBN1661G
	WG12232L	84x44	60x18	0.44x0.49	1/32	6800,SPI	ST7920
	WG12232M	65.4x28.2	54.8x19	0.40x0.45	1/32	6800,SPI	ST7920
	WG12232N	59x29.3	52x15	0.375x0.375	1/32	6800,SPI	ST7920
	128x64	WG12864A	93x70	72x40	0.52x0.52	1/64	6800
WG12864B		75x52.7	58.8x31.4	0.43x0.43	1/64	6800	NT7107, NT7108
WG12864C		78x70	62x44	0.44x0.60	1/64	6800	NT7107, NT7108
WG12864D		78x70	62x44	0.44x0.60	1/64	8080	RA6963
WG12864E1		55x50	43.5x29	0.32x0.39	1/64	6800	NT7107, NT7108
WG12864I		80x70	72x40	0.52x0.52	1/64	6800	NT7107, NT7108
WG12864J3		93x70	72x40	0.52x0.52	1/32	6800,SPI	ST7920
WG12864J5		93x70	72x40	0.52x0.52	1/32	6800,SPI	ST7920
WG12864K		113x53	72x40	0.52x0.52	1/64	6800	NT7107, NT7108
WG12864M		95.5x50.2	72x40	0.52x0.52	1/64	6800	NT7107, NT7108
128x128	WG128128A	85x100	62x62	0.43x0.43	1/128	8080	RA6963
	WG128128I	72.5x69.9	50x49	0.35x0.35	1/128	8080	RA6963
144x32	WG14432A3/A5	85x36	66x16	0.42x0.42	1/32	6800,SPI	ST7920
	WG14432B	80x36	66x16	0.42x0.42	1/32	6800,SPI	ST7920
	WG14432D	85.5x30	66x16	0.42x0.42	1/32	6800,SPI	ST7920
160x32	WG16032A	85.2x55	74x22	0.44x0.61	1/32	6800,8080	SBN1661G
	WG16032D5	122x44	99x24	0.60x0.60	1/32	6800,SPI	ST7920
	WG16032D3	122x44	99x24	0.60x0.60	1/32	6800,SPI	ST7920
	WG16032E	85.2x55	74x22	0.44x0.61	1/32	6800,8080	SBN1661G
160x80	WG16080C1	100x54	72x40	0.42x0.42	1/80	8080	RA6963
	WG16080D	93x70	72x40	0.42x0.42	1/80	8080	RA6963
160x128	WG160128B	129x102	101x82	0.60x0.60	1/128	8080	RA6963
	WG160128C	150x112	101x82	0.60x0.60	1/128	8080	RA6963
WG160128E	129x102	101x82	0.60x0.60	1/128	8080	RA6963	
160x160	WG160160A	89.2x85	62x62	0.38x0.38	1/160	No	No
	WG160160E5/E3	85x100	62x62	0.38x0.38	1/160	8080	RA8806
192x32	WG19232B	116x37	85x18.6	0.42x0.50	1/32	6800,SPI	ST7920
	WG19232C3/C5	116x37	85x18.6	0.42x0.50	1/32	6800,SPI	ST7920
192x64	WG19264A	130x65	102x39	0.50x0.50	1/64	6800	NT7107, NT7108
	WG19264D	120x62	102x39	0.50x0.50	1/64	6800	NT7107, NT7108
	WG19264E	150x62.5	123.5x43	0.63x0.63	1/64	6800	NT7107, NT7108
192x128	WG192128C	102.3x86	78.5x55	0.37x0.37	1/128	8080	RA6963
202x32	WG20232A	146x43	123x23	0.59x0.59	1/32	6800,8080	SBN1661G

Display Format	Model No.	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Dot Pitch (WxH)mm	Duty	Interface	IC
240×64	WG24064A	180×65	133×39	0.53×0.53	1/64	8080	RA6963
	WG24064C	180×65	133×39	0.53×0.53	1/64	8080	RA6963
	WG24064E	180×60	137×44	0.53×0.53	1/64	8080	RA6963
	WG24064J	180×65	132.6×39	0.53×0.53	1/64	8080	RA6963
240×128	WG240128A	170×93.4	128×74	0.50×0.50	1/128	8080	RA6963
	WG240128B	144×104	114×64	0.45×0.45	1/128	8080	RA6963
	WG240128E	144×104	114×64	0.45×0.45	1/128	8080	RA6963
320×240	WG320240A	160×109	122×92	0.36×0.36	1/240	No	No
	WG320240B0	160×109	122×92	0.36×0.36	1/240	6800,8080	RA8835
	WG320240BX	160×109	122×92	0.36×0.36	1/240	6800,8080	S1D13700
	WG320240BP2	160×109	122×92	0.36×0.36	1/240	6800,8080	S1D13700
	WG320240BP3	160×109	122×92	0.36×0.36	1/240	6800,8080	S1D13700
	WG320240C0	148.02×120.24	120.14×92.14	0.36×0.36	1/240	6800,8080	RA8835
	WG320240CX	148.02×120.24	120.14×92.14	0.36×0.36	1/240	6800,8080	S1D13700
	WG320240D0	142×96	104×79.3	0.30×0.30	1/240	6800,8080	RA8835
	WG320240D1	142×96	104×79.3	0.30×0.30	1/240	No	No
	WG320240O	139×100	104×79.3	0.30×0.30	1/240	6800,8080	RA8835

Display Format	Model No.	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Character Size (WxH)mm	Duty	Interface	IC
8×2	WH0802A1	58×32	38×16	2.96×5.56	1/16	6800,SPI,I2C	RW1063
16×1	WH1601A	80×36	66×16	3.07×6.56	1/16	6800,SPI,I2C	RW1063
16×2	WH1602B	80×36	66×16	2.95×5.55	1/16	6800,SPI,I2C	RW1063
	WO1602J	74.2×25.2	61×15.1	2.95×5.55	1/17	I2C	ST7028-1A
	WO1602N	68.2×25.2	61×15.1	2.95×5.55	1/17	I2C	ST7028-1A
16×4	WH1604A	87×60	62×26	2.95×4.75	1/16	6800,SPI,I2C	RW1063
20×2	WH2002G	115×36	85×18.6	3.2×5.55	1/16	6800	ST7066
20×4	WH2004A	98×60	77×25.2	2.95×4.75	1/16	6800	ST7066

Display Format	Model No.	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Dot Pitch (WxH)mm	Duty	Interface	IC	
16×2	WO1602B	85×30	76×18	0.79×0.97	1/16	I2C	ST7032i	
	WO1602F	72.1×29.6	61×15.1	0.60×0.70	1/16	6800,SPI,I2C	ST7032i	
	WO1602G	74.2×25.2	61×15.1	0.60×0.70	1/16	I2C	ST7032i	
	WO1602H	62.8×23	51.5×12.2	0.53×0.59	1/16	I2C	ST7032i	
	WO1602I	51.2×20.7	40×10	0.41×0.48	1/16	I2C	ST7032i	
	WO1602I3/I5	66×28	40×9.98	0.41×0.48	1/16	I2C	ST7032i	
	WO1602K	74.2×25.2	61×15.1	0.60×0.70	1/16	I2C	ST7032Ai	
	WO1602L	62.8×23	51.5×12.2	0.53×0.59	1/16	I2C	ST7032Ai	
	WO1602M	51.2×20.7	40×10	0.41×0.48	1/16	I2C	ST7032Ai	
	20×2	WO2002A	74.2×25.2	61×15.1	0.50×0.59	1/16	I2C	ST7036i
20×4	WO2004B	74.3×36.4	60.5×22.18	0.50×0.59	1/33	I2C	IST3602	
	WO2004C	74.3×36.4	60.5×22.18	0.50×0.59	1/33	I2C	IST3602	
24×2	WO2402A	86.2×24.7	72.3×11.84	0.50×0.59	1/17	I2C	RW1062	
128×64	WO12864A1	60.1×44.5	54.6×32	0.39×0.43	1/65	6800,8080,SPI	ST7565P	
	WO12864B	89.7×49.8	69×36.5	0.50×0.50	1/65	6800,8080,SPI	ST7565P	
	WO12864C2	55.2×39.8	45.2×27	0.32×0.38	1/64	6800,8080,SPI	ST7565P	
	WO12864D2	90×52.8	70.7×38.8	0.52×0.52	1/64	6800,8080,SPI	ST7565P	
	WO12864D3	80×54	70.7×38.8	0.52×0.52	1/64	6800,8080,SPI	ST7565P	
	WO12864H	80×54	70.7×38.8	0.52×0.52	1/65	6800,8080,SPI	ST7567	
	WO12864K1	89.7×49.8	66.8×35.5	0.50×0.50	1/65	6800,8080,SPI	ST7565P	
	WO12864L	60.1×44.5	57.6×32	0.39×0.43	1/65	SPI,I2C	ST7567A	
	WO12864M	60.1×44.5	54.6×32	0.39×0.43	1/65	6800,8080,SPI	ST7567	
	WO12864N	89.7×49.8	69×36.5	0.5×0.5	1/65	6800,8080,SPI	ST7567	
	WO12864P	55.2×39.8	45.2×27	0.32×0.38	1/65	6800,8080,SPI	ST7567S	
	WO12864Q	80×54	70.7×38.8	0.52×0.52	1/65	6800,8080,SPI	ST7567	
	WO12864T	38×26.42	29.58×16.22	0.20×0.22	1/65	6800,8080,SPI	ST7565P	
	WO12864T1	38×26.42	29.58×16.22	0.20×0.22	1/65	6800,8080,SPI	ST7567S	
	WO12864U	58.2×44.7	52×33.5	0.42×0.37	1/64	6800,8080,SPI	ST7565P	
	WO12864U1	58.2×44.7	52×33.5	0.42×0.37	1/65	6800,8080,SPI	ST7567S	
	128×128	WO128128A	55×57	42×42	0.328×0.328	1/136	6800,8080,SPI,I2C	ST75161
		WO128128A2	60×62.79	42×42	0.328×0.328	1/136	6800,8080,SPI,I2C	ST75161
WO128128B		68×72	62×62	0.43×0.43	1/128	6800,8080,SPI,I2C	ST75161	
132×32	WO13232A	65.4×28.2	58.3×19	0.40×0.45	1/33	I2C	ST7567A	
	WO13232B	65.4×28.2	58.3×19	0.40×0.45	1/33	I2C	ST7567A	
160×160	WO160160A	83.8×76.5	60×60	0.34×0.34	1/160	6800,8080	UC1698U	
	WO160160B	82.2×77.5	60×60	0.34×0.34	1/160	6800,8080	UC1698U	
240×64	WO24064A1	142.5×51.7	130.2×37.6	0.53×0.53	1/64	6800,8080,SPI	ST7565P	
	WO24064B	142.5×51.7	129×37.6	0.53×0.53	1/64	6800,8080,SPI	ST7586S	
	WO24064C	111.4×45.5	106.2×31.2	0.43×0.43	1/64	6800,8080,SPI	ST7586S	
	WO24064D	86.2×39.3	80.8×24.8	0.32×0.32	1/64	6800,8080,SPI	ST7586S	
240×128	WO240128A	98.7×67.7	92×53	0.35×0.35	1/128	6800,8080,SPI	UC1608	
	WO240128B2	120.2×77.6	114×64	0.45×0.45	1/128	6800,8080,SPI	ST7586S	
240×160	WO240160A	93×64.2	78.5×47.5	0.275×0.29	1/160	6800,8080	ST7529	
256×128	WO256128A	80×54	70.7×38.8	0.26×0.26	1/128	6800,8080,SPI,I2C	ST75256	
	WO256128A2	93×54	70.7×38.8	0.26×0.26	1/128	6800,8080,SPI,I2C	ST75256	
320×240	WO320240E	94.7×83.3	81.4×61.0	0.238×0.24	1/240	6800,8080	RA8835	
	WO320240F	94.7×83.3	81.4×61.0	0.238×0.24	1/240	--	UCI7701*2+UCI7702*1	



Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
128×160	WF18FTLAADNN0	1.77"	34×45.83	31.83×41.42	SPI,MCU	ST7735S	500	No
	WF18FTZAADNN0	1.77"	34×45.83	31.83×41.42	SPI,MCU	ST7735S	400	No
	WF18GTLAADNN0	1.77"	34×45.83	31.83×41.42	SPI	ST7735S	500	No
	WF18HSLAADNN0	1.77"	34×45.83	31.83×41.42	SPI	ST7735S	900	No
240×320	WF24HTLAJDNN0	2.4"	42.72×60.26	37.72×49.96	MCU	ILI9341	500	No
	WF24MTLAJDNN0	2.4"	42.72×60.26	37.72×49.96	SPI	ST7789V	500	No
	WF24MTLAJDNT0	2.4"	42.72×60.26	38.72×53.96	SPI	ST7789V	350	RTP
	WF28ETLAJDNN0	2.8"	50×69.2	44.2×58.6	MCU	ILI9341	500	No
	WF28ETLAJDNF0	2.8"	50×69.2	44.2×58.6	MCU	ILI9341	400	PCAP
	WF28ETLAJDNT0	2.8"	50×69.2	44.8×63.1	MCU	ILI9341	350	RTP
	WF28KTLAJDNT0	2.8"	50×69.2	44.8×63.1	SPI	ST7789V	350	RTP
	WF32DTLAJDNN0	3.2"	55.04×77.6	49.6×65.8	8080,SPI,MCU	ILI9341	500	No
WF32DTLAJDNT0	3.2"	55.04×77.6	49.6×65.8	8080,SPI,MCU	ILI9341	350	RTP	
320×240	WF35LTIACDNN0	3.5"	76.9×63.9	73.1×55.5	RGB	HX8238	420	No
	WF35LTIACDNT0	3.5"	76.9×63.9	72.1×54.6	RGB	HX8238	300	RTP
	WF35LTIACDNG0	3.5"	76.84×63.84	71×53.51	RGB	HX8238	340	PCAP
	WF35LTZACDNN0	3.5"	76.84×63.84	73.1×55.5	RGB	HX8238	300	No
	WF35RTIACDNNB	3.5"	76.84×63.84	73.1×55.5	SPI,MCU,RGB	SSD2119	400	No
	WF35YTIACDNN0	3.5"	76.84×63.84	73.1×55.5	RGB	HX8238-D	420	No
WF35YTIACDNT0	3.5"	76.84×63.84	72.1×54.6	RGB	HX8238-D	300	RTP	
480×272	WF43GTIAEDNN0	4.3"	105.5×67.2	97.1×55.9	RGB	ILI6480B	500	No
	WF43GTIAEDNT0	4.3"	105.5×67.2	98.7×57.5	RGB	ILI6480B	350	RTP
	WF43GTIAEDNGD	4.3"	105.5×67.2	96.24×54.66	RGB	ILI6480B	400	PCAP
	WF43VTIAEDNN0	4.3"	105.5×67.2	98.9×57.7	RGB	ST7282	500	No
	WF43VTIAEDNT0	4.3"	105.5×67.2	98.7×57.5	RGB	ST7282	350	RTP
	WF43VTIAEDNGA	4.3"	105.5×67.2	96.24×54.66	RGB	ST7282	400	PCAP
	WF43VTZAEDNN0	4.3"	105.5×67.2	98.9×57.7	RGB	ST7282	400	No
	WF43VTZAEDNT0	4.3"	105.5×67.2	98.7×57.5	RGB	ST7282	280	RTP
	WF43VTZAEDNGA	4.3"	105.5×67.2	96.24×54.66	RGB	ST7282	300	PCAP
	WF43UTIAEDNN0	4.3"	105.4×67.1	98.48×57.19	RGB	ST7282	600	No
WF43YTIADNN0	4.3"	105.5×67.2	98.9×57.7	RGB	ILI6480B	500	No	
WF43UTIAEDNGB	4.3"	105.4×67.2	96.24×54.66	RGB	ST7282	480	PCAP	
WF43YTIADNT0	4.3"	105.5×67.2	98.7×57.5	RGB	ILI6480B	350	RTP	
320×240	WF57VTIACDNN0	5.7"	160×109	118.28×88.64	RGB	HX8218+HX8615	500	No
	WF57VTIBCDAT0	5.7"	160×109	118.28×88.64	RGB	--	350	RTP
	WF57VTIACDNG0	5.7"	160×109	116.4×87.76	RGB	HX8218+HX8615	400	PCAP
	WF57XTIACDNN0	5.7"	126×101.55	117.9×89.1	RGB	HX8218+HX8615	900	No
	WF57XTIACDNT0	5.7"	126×101.55	117.9×89.1	RGB	HX8218+HX8615	600	RTP
	WF57XTIACDNG0	5.7"	126×101.55	116.4×87.76	RGB	HX8218+HX8615	700	PCAP
	WF57ZTIGCDNN0	5.7"	141.12×101.55	117.9×89.1	RGB	HX8218+HX8615	700	No
	WF57ZTIGCDNN0	5.7"	141.12×101.55	117.9×89.1	RGB	HX8218+HX8615	900	No
	WF57ZTIGCDNT0	5.7"	141.12×101.55	117.9×89.1	RGB	HX8218+HX8615	600	RTP
	WF57A3TIGCDNN0	5.7"	141.12×101.55	117.9×89.1	RGB	HX8218+HX8615	900	No
WF57A3TIGCDNT0	5.7"	141.12×101.55	117.9×89.1	RGB	HX8218+HX8615	600	RTP	
640×480	WF57FTLAFDNN0	5.7"	125×98.8	117.5×88.7	RGB	HX8250-A+HX8678	500	No
	WF57FTLAFDNT0	5.7"	127.14×100.9	117.5×88.7	RGB	HX8250-A+HX8678	350	RTP
800×480	WF70A2TIAGDNN0	7"	165×100	157×89.5	RGB	ST-5623	400	No
	WF70A2TIAGDNT0	7"	165×100	156.06×89.1	RGB	ST5623D+ST5091D	250	RTP

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
800×480	WF70B2SIAGDNGA	7"	165×100	156.68×88.52	RGB	HX8264-E+HX8664-B	700	PCAP
	WF70A6TIAGDNN0	7"	165.05×104.87	155.3×94.3	RGB	HX8262+HX8678	460	No
	WF70A6TIAGDNT0	7"	165.05×104.87	155.2×93.3	RGB	HX8262+HX8678	300	RTP
	WF70A6TIAGDNG0	7"	165.05×104.87	153.2×92.24	RGB	HX8262+HX8678	350	PCAP
	WF70A2TIAGDNGA	7"	165×100	155.22×87.19	RGB	ST5623D+ST5091D	350	PCAP
1024×600	WF70A7TIAHLNN0	7"	164.8×99.8	157.2×89.43	LVDS	EK79001HE+EK73215BCGA	600	No
	WF70A7TIAHLNB0	7"	202×135.5	155.22×86.92	LVDS	EK79001HE+EK73215BCGA	450	PCAP
800×480	WF80BTIAGDNNC	8"	192.8×116.9	180.1×103.4	RGB	EK9713+EK73002	420	No
	WF80BTIAGDNTC	8"	192.8×116.9	180.1×103.4	RGB	EK9713+EK73002	300	RTP
1024×768	WF104FTIAMLNN0	10.4"	236.0×176.9	-	LVDS	HX8282A01+HX8695-B01	350	No

TFT Panel + Controller Board

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
480×272	WF43WTYBEDAT0	4.3"	106.7×83.98	98.16×56.856	MCU	SSD1963	350	RTP
	WF43WTYFEDBN0	4.3"	105.5×67.2	98.16×56.856	MCU	SSD1963	500	No
1280×800	WF101KTYJPLNG0	10.1"	257.96×168.6	218×137	LVDS	EK79202B1	300	PCAP
	WF101LSYJPLNG0	10.1"	257.96×168.6	218×137	LVDS	EK79202B1	900	PCAP
1024×600	WF101JSYJHLNB0	10.1"	235×143	223.72×126.28	LVDS	EK79007AD3+EK73217BCGA	900	PCAP
320×240	WF35QTIBCDBN0	3.5"	93.5×63.44	73.1×55.5	MCU	SSD1963	420	No
	WF35QTIBCDBT0	3.5"	93.5×63.44	73.1×55.5	MCU	SSD1963	300	RTP
	WF35QTIBCDBG0	3.5"	93.5×63.44	71×53.51	MCU	SSD1963	340	PCAP
480×272	WF43QTI BEDBND	4.3"	106.7×69.6	98.8×57.5	MCU	SSD1963	500	No
	WF43QTI BEDBTD	4.3"	106.7×83.98	98.7×57.5	MCU	SSD1963	350	RTP
	WF43QTI BEDBGF	4.3"	106.7×83.98	96.24×54.66	MCU	SSD1963	400	PCAP
	WF50FTYFGDBG0	5"	120.7×75.8	109×65.6	MCU	SSD1963	400	PCAP
480×128	WF52CTLBSDBN0	5.2"	180×65	133×39	MCU	MR6566	500	No
320×240	WF57A2TIBCDNB0	5.7"	141.12×101.55	117.9×89.1	MCU	SSD1963	900	No
	WF57A2TIBCDNT0	5.7"	141.12×101.55	118.2×89.4	MCU	SSD1963	600	RTP
	WF57A2TIBCDNB0	5.7"	141.12×101.55	116.4×87.76	MCU	SSD1963	700	PCAP
800×480	WF70A2TIFGDBN0	7"	165×100	157×89.5	MCU	SSD1963	460	No
	WF70A2TIFGDBT0	7"	165×100	156.6×89.1	MCU	SSD1963	250	RTP
	WF70A2TIFGDBG0	7"	165×100	155.22×87.19	MCU	SSD1963	350	PCAP
1024×600	WF70C4TIBGDAN0	7"	181.2×105.4	155.3×94.3	MCU	SSD1963	500	No
	WF70A8SYJHLNGA	7"	169.9×103.4	155.22×87.19	LVDS	ST5021+ST5651	850	PCAP
800×480	WF80QTI FGDBNB	8"	192.8×116.9	180.1×103.4	MCU	SSD1963	420	No
	WF80QTI FGDBTB	8"	192.8×116.9	180.1×103.4	MCU	SSD1963	320	RTP

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
800×480	WF102QTIFGDBN0	10.2"	235×145.8	225.3×135.7	MCU	SSD1963	350	No
	WF102QTIFGDBT0	10.2"	235×145.8	225.3×135.7	MCU	SSD1963	250	RTP
320×240	WF35PTIBCDBN0	3.5"	93.5×63.44	73.1×55.5	MCU	SSD1963	420	No
	WF35PTIBCDBT0	3.5"	93.5×63.44	73.1×55.5	MCU	RA8875	300	RTP
	WF35PTIBCDBG0	3.5"	93.5×66.44	71×53.51	MCU	RA8875	340	PCAP
480×272	WF43PTIBEDBTD	4.3"	106.7×83.98	98.7×57.5	MCU	RA8875	350	RTP
	WF43PTIBEDBGF	4.3"	106.7×83.98	96.24×54.66	MCU	RA8875	400	PCAP
800×480	WF80PTIFGDBNB	8.0"	192.8×116.9	180.1×103.4	MCU	RA8875	420	No
	WF80PTIFGDBTB	8.0"	192.8×116.9	180.1×103.4	MCU	RA8875	320	RTP
320×240	WF57VTCECLNN0	5.7"	160×109	118.28×88.64	LVDS	RA8875	500	No
	WF57WTLECDNN0	5.7"	143.5×104.1	118.6×88.9	RGB	SN75LVDS82DGGR	500	No
	WF57WTLECDNT0	5.7"	143.5×104.1	118.6×88.9	RGB	HX8218+HX8615	350	RTP

## TFT IPS

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
80×160	WF0096ATYAA3DNN0	0.96"	13.5×27.95	11.4×22.27	SPI	ST7735S	500	No
	WF0096ATYAA3DNF10	0.96"	18.7×31.9	10.8×21.696	SPI	ST7735S	400	PCAP
240×240	WF0128BTYAA4DNN0	1.28"	35.6×37.74	--	SPI	GC9A01	400	No
	WF0128BTYAA4DNF10	1.28"	50.2×50.2	32.8×32.8	SPI	GC9A01	320	PCAP
	WF0154ATAAA4DSN0	1.54"	31.52×33.72	29.72×29.60	SPI	ST7789T3	380	No
	WF0154ASAAA4DSN0	1.54"	31.52×33.72	29.72×29.60	SPI	ST7789T3	850	No
240×320	WF0200BSYAJDNN0	2.0"	38.8×52.3	31.4×41.6	SPI,MCU	ST7789VI	950	No
	WF0200BTYAJDNG10	2.0"	38.8×52.3	31.4×41.6	SPI,MCU	ST7789VI	400	PCAP,OCA
	WF0200BTYAJDNG0	2.0"	38.4×51.9	31.6×41.8	SPI,MCU	ST7789VI	450	PCAP
	WF24LTYAJDNN0	2.4"	42.72×60.26	38.72×51.16	SPI,MCU	ILI9341	500	No
	WF28JTYAJDNF0	2.8"	50.5×69.7	44.9×59.3	SPI,MCU	ILI9341	400	PCAP
	WF28JTYAJDNN0	2.8"	50.5×69.7	44.2×58.6	SPI,MCU	ILI9341	500	No
	WF28JSYAJDNN0	2.8"	50.5×69.7	44.2×58.6	SPI,MCU	ILI9341	1000	No
800×800	WF0340ATYAB7MNN0	3.4"	94.9×96.95	91.25×93.23	MIPI DSI	ILI9881C	300	No
320×240	WF35XTWACDNN0	3.5"	76.84×63.84	73.1×55.5	RGB	ST7272A	500	No
	WF35XSWACDNN0	3.5"	76.84×63.84	73.1×55.5	RGB	ST7272A	1000	No
320×480	WF35UTYAIIDNN0	3.5"	54.5×83	49.76×74.24	SPI,MCU,RGB	ILI9488	600	No
	WF35UTYAIMNN0	3.5"	54.5×83	49.76×74.24	MIPI DSI	ILI9488	600	No
	WF35UTYAIMNG0	3.5"	68.7×95.6	50.36×74.84	MIPI DSI	ILI9488	500	PCAP
480×800	WF40CTYAQMNN0	3.97"	57.14×96.85	52.84×87.40	MIPI DSI	ST7701S	600	No
480×480	WF40ETWAA6MNN0	4.0"	78.8×82.95	73.06×71.38	MIPI DSI	ST7701S	500	No
	WF40ETWAA6DNN0	4.0"	78.8×82.95	73.06×71.38	RGB	ST7701S	500	No
	WF40ESWAA6MNN0	4.0"	78.8×82.95	73.06×71.38	MIPI DSI	ST7701S	1000	No
	WF40ESWAA6MNT0	4.0"	78.8×82.95	73.06×71.38	MIPI DSI	ST7701S	700	RTP
480×272	WF43WSWAEDNN0	4.3"	105.5×67.2	98.16×56.856	RGB	SC7283	1000	No
	WF43WTWAEDNN0	4.3"	105.5×67.2	98.16×56.856	RGB	SC7283	500	No
	WF43WTYBEDST0	4.3"	123.5×67.2	98.7×57.3	SPI,QSPI	BT816	350	RTP
	WF43WTYBEDSG0	4.3"	123.5×67.2	98.7×57.3	SPI,QSPI	BT815	400	PCAP

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
800×480	WF43XTWAGDNN0	4.3"	105.5×67.2	97.34×56.86	RGB	HX8264+HX8664	600	No
	WF43XTWAGDNG0	4.3"	105.5×67.2	96.24×54.66	RGB	HX8264+HX8664	500	PCAP
	WF43XSWAGDNG0	4.3"	105.5×67.2	96.24×54.66	RGB	HX8264+HX8664	900	PCAP
	WF43XSWAGDNN0	4.3"	105.5×67.2	97.34×56.86	RGB	HX8264+HX8664	1100	No
	WF50FTYAGDNT0	5"	120.7×75.8	111.7×65.91	RGB	ST7262	350	RTP
	WF50FTWAGDNN0	5"	120.7×75.8	110.7×67.4	RGB	ST7262	500	No
	WF50FTWAGDNG0	5"	120.7×75.8	109×65.6	RGB	ST7262	400	PCAP
	WF50FTWAGLNN0	5"	120.7×75.8	110.7×67.4	LVDS	ST7262	500	No
	WF50FSWAGDNN0	5"	120.7×75.8	110.7×67.4	RGB	ST7262	1000	No
	WF50FSWAGDNGB	5"	147×104	109×65.6	RGB	ST7262	750	PCAP
	WF50FSYBGDSGA	5"	138.7×75.8	109×65.6	SPI,QSPI	BT815Q	750	PCAP
	WF50FSYBGDST0	5"	138.7×75.8	111.7×65.91	SPI,QSPI	BT816Q	650	RTP
	720×1280	WF50DTYA3MNN0	5"	66.1×120.4	66.1×120.4	MIPI DSI	ILI9881C	300
WF50DTYA3MNG10		5"	73.3×127.6	63.1×111.4	MIPI DSI	ILI9881C	250	PCAP,OCA
WF50DSYA3MNN0		5"	68.4×122.7	64.1×112.3	MIPI DSI	ILI9881C	1100	No
800×480	WF70A9TWAGDNN0	7"	165.8×106.61	154.9×93.8	RGB	HX8249-A+ HX8678-C	500	No
	WF70A9TWAGDNT0	7"	165.8×106.61	154.4×93.4	RGB	HX8249-A+ HX8678-C	350	RTP
	WF70A9SWAGDNN0	7"	165.8×106.61	154.9×93.8	RGB	HX8249-A+ HX8678-C	1000	No
	WF70A9SWAGDNT0	7"	165.8×106.61	154.4×93.4	RGB	HX8249-A+ HX8678-C	700	RTP
	WF70A9SWAGDNB0	7"	165.8×106.61	153.4×92.4	RGB	HX8249-A+ HX8678-C	800	PCAP
	WF70A9SWAGDNG0	7"	165.8×106.61	153.3×92.24	RGB	HX8249-A+ HX8678-C	800	PCAP
	WF70A9SWAGLNN0	7"	165.8×106.61	154.9×93.8	LVDS	HX8249-A+ HX8678-C	1000	No
1024×600	WF70A8SYAHLNN0	7"	169.9×103.4	157.2×89.43	LVDS	ST5021+ST5651	1100	No
	WF70A8SYAHLNT0	7"	169.9×103.4	156.6×89.1	LVDS	ST5021+ST5651	800	RTP
	WF70A8SYAHLNGB	7"	169.9×103.4	155.22×87.19	LVDS	ST5021+ST5651	850	PCAP
	WF70A8SYAHLNGC	7"	202×135.5	155.22×86.92	LVDS	ST5021+ST5651	850	PCAP
	WF70A8TYAHLNN0	7"	169.9×103.4	157.2×89.43	LVDS	ST5021+ST5651	600	No
	WF70A8TYAHLNT0	7"	169.9×103.4	156.6×89.1	LVDS	ST5021+ST5651	400	RTP
	WF70A8TYAHLNGB	7"	169.9×103.4	156.08×87.92	LVDS	ST5021+ST5651	450	PCAP
	WF70A8TYAHLNL0	7"	169.9×103.4	156.08×87.92	LVDS	ST5021+ST5651	450	PCAP, Hover Touch
800×480	WF70A8TYAHMNN0	7"	169.9×103.4	157.2×89.43	MIPI DSI	EK79007AD3+ EK73217BCGA	600	No
	WF70B8SWAGDNT0	7"	165.8×106.61	154.4×93.4	RGB	HX8249-A+ HX8678-C	700	RTP
800×1280	WF70B8SWAGDNB0	7"	165.8×106.61	153.4×92.4	RGB	HX8249-A+ HX8678-C	800	PCAP
	WF80GSYAUMNN0	8"	115.74×184.93	109.24×174.6	MIPI DSI	ILI9881C	1125	No
480×1920	WF80GSYAUMNG0	8"	123.74×192.08	108.44×173.02	MIPI DSI	ILI9881C	900	PCAP
	WF80GSYAUMNT0	8"	115.74×184.93	108.84×173.42	MIPI DSI	ILI9881C	750	RTP
1024×600	WF88BTYA8MNN0	8.8"	231.3×64.3	--	MIPI DSI	OTA7290B	600	No
	WF101JTYAHMNB0	10.1"	235×143	223.72×126.28	MIPI DSI	EK79007AD3+ EK73217BCGA	400	PCAP
	WF101JSYAHLNN0	10.1"	235×143	226×128.5	LVDS	EK79001HN+ EK73215BCGA	1100	No
	WF101JSYAHLNB0	10.1"	235×143	226×128.5	LVDS	EK79001HN+ EK73215BCGA	900	PCAP
	WF101JTYAHLNN0	10.1"	235×143	226×128.5	LVDS	EK79001HN+ EK73215BCGA	500	No
	WF101JTYAHLNT0	10.1"	235×143	226×128.5	LVDS	EK79001HN+ EK73215BCGA	350	RTP

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
1280×800	WF101KTYAPLNN0	10.1"	229.34×148.98	222.2×139.2	LVDS	EK79202B1	350	No
	WF101KTYAPLNT0	10.1"	229.34×148.98	220.06×138.7	LVDS	EK79202B1	250	RTP
	WF101KTYAPLNG0	10.1"	257.96×168.6	218×137	LVDS	EK79202B1	300	PCAP
1920×1200	WF101NTYA4LNG0	10.1"	257.96×168.6	218×137	LVDS	FL5893DA	400	PCAP
	WF101NTYA4LNN0#000	10.1"	231.40×152.3	216.8×135.50	LVDS	FL5893DA	500	No
	WF101NTYA4LNN0	10.1"	231.40×152.3	216.8×135.50	LVDS	FL5893DA	500	No
1280×800	WF101LSYAPLNN0	10.1"	230.56×155.01	222.2×139.2	LVDS	EK79202B1	1100	No
	WF101LSYAPLNT0	10.1"	230.56×155.01	218×137	LVDS	EK79202B1	750	RTP
	WF101LSYAPLNG0	10.1"	257.96×168.6	218×137	LVDS	EK79202B1	900	PCAP
	WF121BTXAPLNN0	12.1"	278×184	264.12×166.2	LVDS	Fiti EK77526AHI205A	400	No
	WF121ETWAMLNN0	12.1"	260.5×204	249×187.5	LVDS	--	600	No
1920×720	WF123BSWAYLNN0	12.3"	308.1×130.0	--	LVDS	HX8298-C01-LT+HX8695-E-LT	800	No
1024×768	WF150ATYAMLNN0	15"	326.5×253.5	307.4×231.3	LVDS	--	300	No
1920×1080	WF1560BTYAA5ENN0	15.6"	360×212.3	347.46×199.12	eDP	TC2055G	500	No
	WF1560BSYAA5ENN0	15.6"	360×212.3	347.46×199.12	eDP	TC2055G	1000	No
	WF1560ATWFA5LEN0	15.6"	363.8×215.9	347.06×196.49	eDP	CH7513A-BFI	450	No

## TFT HDMI

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
480×128	WF39DTLFSHDHNO	3.9"	125×66.5	97.04×27.34	HDMI (CN)	TFP401	500	No
	WF39DTLFSDHGO	3.9"	125×66.5	97.04×27.34	HDMI (CN)	TFP401	400	PCAP
480×272	WF43WSYFEDHNV	4.3"	105.5×84.2	98.16×56.85	HDMI (CN)	TFP401	1000	No
	WF43WSYFEDHTV	4.3"	105.5×84.2	98.7×57.3	HDMI (CN)	TFP401	700	RTP
	WF43WSYFEDHGV	4.3"	105.5×84.2	96.24×54.66	HDMI (CN)	TFP401	800	PCAP
800×480	WF50FTYFGDHTV	5"	120.7×75.8	111.7×65.91	HDMI (CN)	TFP401	350	RTP
	WF50FSYFGDHGV	5"	120.7×75.8	109×65.6	HDMI (CN)	TFP401	750	PCAP
480×128	WF52ASZFSDHGV	5.2"	180×75.8	129.2×35.9	HDMI (CN)	TFP401	700	PCAP
800×480	WF70A2TIFGDHTV	7"	165×100	156.6×89.1	HDMI (CN)	TFP401	250	RTP
	WF70A2TIFGDHGV	7"	165×100	155.22×87.19	HDMI (CN)	TFP401	350	PCAP
1024×600	WF70A7TIFHLHTV	7"	165×99.8	156.6×89.1	HDMI (CN)	TFP401	400	RTP
	WF70A7TIFHLHGV	7"	164.8×99.8	155.22×87.19	HDMI (CN)	TFP401	450	PCAP
	WF70A8TYFHLHGV	7"	169.9×103.4	155.22×87.19	HDMI (CN)	TFP401	450	PCAP
	WF101JSYFHLHBV	10.1"	235×143	223.72×126.28	HDMI (CN)	TFP401	850	PCAP
1280×800	WF101LSYFPLHTV	10.1"	230.56×155.01	218×137	HDMI (CN)	TFP401	750	RTP
	WF101LSYFPLHGV	10.1"	257.96×168.6	218×137	HDMI (CN)	TFP401	900	PCAP

## TFT High Brightness Series

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
240×320	WF32DSLAIJDNN0	3.2"	55.04×77.6	49.6×65.8	8080,SPI,MCU	ILI9341	1000	No
	WF32DSLAIJDNT0	3.2"	55.04×77.6	49.6×65.8	8080,SPI,MCU	ILI9341	700	RTP
320×240	WF35LSIACDNN0	3.5"	76.9×63.9	73.1×55.5	RGB	HX8238	1100	No
	WF35LSIACDNT0	3.5"	76.9×63.9	73.1×55.5	RGB	HX8238	770	RTP
	WF35LSIACDNG0	3.5"	76.84×63.84	71.0×53.51	RGB	HX8238	880	PCAP
480×480	WF40ESWAA6DNN0	4"	78.8×82.95	73.06×71.38	RGB	ST7701S	1000	No
	WF40ESWAA6DNG0	4"	78.8×82.95	72.46×70.78	RGB	ST7701S	800	PCAP
480×272	WF43GSIAEDNN0	4.3"	105.5×67.2	97.1×55.9	RGB	ILI6480B	1000	No
	WF43GSIAEDNGD	4.3"	105.5×67.2	96.24×54.66	RGB	ILI6480B	800	PCAP
	WF43VSIAEDNN0	4.3"	105.5×67.2	98.9×57.7	RGB	ST7282	1000	No
	WF43VSIAEDNT0	4.3"	105.5×67.2	98.7×57.5	RGB	ST7282	700	RTP
	WF43VSIAEDNGA	4.3"	105.5×67.2	97.0×56.0	RGB	ST7282	800	PCAP
	WF43VSAEDNN0	4.3"	105.5×67.2	98.9×57.7	RGB	ST7282	800	No
	WF43VSAEDNT0	4.3"	105.5×67.2	98.7×57.5	RGB	ST7282	550	RTP
	WF43VSAEDNGA	4.3"	105.5×67.2	96.24×54.66	RGB	ST7282	600	PCAP
800×480	WF70A2SIAGDNN0	7"	165×100	157.0×90.1	RGB	ST-5623	900	No
	WF70A2SIAGDNT0	7"	165×100	156.6×89.1	RGB	ST-5623	600	RTP
	WF70A2SIAGDNGA	7"	165×100	155.22×87.19	RGB	ST-5623	700	PCAP
	WF70A2SIAGDNL0	7"	165×100	154.08×85.92	RGB	ST-5623	700	PCAP, Hover Touch
	WF70A2SZAGDNN0	7"	165×100	157×90.1	RGB	ST-5623	750	No
1024×600	WF70A7SIAHLNN0	7"	169.9×103.4	157.2×89.43	LVDS	EK79001HE+EK73215BCGA	1100	No
	WF70A7SZAHLNN0	7"	169.9×103.4	157.2×89.43	LVDS	EK79001HE+EK73215BCGA	900	No
	WF70A8SYAHMNN0	7"	169.9×103.4	157.2×89.43	MIPI DSI	EK79007AD3+EK73217BCGA	1100	No
800×480	WF70C4SIAGDNG0	7"	165×104.6	153.2×92.24	RGB	EK9713B+EK73202A	800	PCAP
1024×600	WF101JSYAHMNN0	10.1"	235×143	226.0×128.5	MIPI DSI	EK79007AD3+EK73217BCGA	1100	No
	WF101JSYAHMNB0	10.1"	235×143	223.72×126.28	MIPI DSI	EK79007AD3+EK73217BCGA	900	PCAP
1920×720	WF123BSWAYLNBO	12.3"	364×175	293.32×110.62	LVDS	HX8298-C01-LT+HX8695-E-LT	650	PCAP
	WF123BSWAYLNBA	12.3"	364×175	293.32×110.62	LVDS	HX8298-C01-LT+HX8695-E-LT	650	PCAP

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
480×128	WF39BTLASDNN0	3.9"	105.5×37	97.04×27.34	RGB	HX8278-A	500	No
	WF39BTLASDNGA	3.9"	105.5×37	97.04×27.34	RGB	HX8278-A	400	PCAP
	WF39BTLASDNT0	3.9"	105.5×37	97.04×27.34	RGB	HX8278-A	350	RTP
	WF39BTZASDNN0	3.9"	105.5×37	97.04×27.34	RGB	HX8278-A	400	No
	WF39BSQASDNN0	3.9"	105.5×37	97.04×27.34	RGB	HX8278-A	1000	No
	WF39CTIASDNN0	3.9"	105.5×37	97.04×27.34	RGB	HX8278-A	500	No
	WF39CTIASDNT0	3.9"	105.5×37	97.04×27.34	RGB	HX8278-A	350	RTP
	WF39CTIASDNG0	3.9"	105.5×37	97.04×26.34	RGB	HX8278-A	400	PCAP
	WF39ETWASDNN0	3.9"	105.5×37	97.04×27.34	RGB	SC7283	500	No
	WF39ESWASDNG0	3.9"	105.5×37.0	96.04×26.34	RGB	SC7283	800	PCAP
	WF39ESWASDNN0	3.9"	105.5×37.0	97.04×27.34	RGB	SC7283	1000	No
	WF39ESWASDNT0	3.9"	105.5×37.0	97.04×27.34	RGB	SC7283	700	RTP
	WF39QTIBSDBN0	3.9"	122×44	97.04×27.34	MCU	SSD1963	500	No
	WF39QTIBSDBG0	3.9"	122×44	96.04×26.34	MCU	SSD1963	400	PCAP
800×320	WF46ATIATDNNA	4.6"	120.7×56.16	110.6×46	RGB	ILI6122+ILI5960	400	No
480×128	WF52ATLASDNN0	5.2"	140.4×49.87	133.4×39.4	RGB	ST7252	500	No
	WF52ATLASDNT0	5.2"	140.4×49.87	130.0×36.6	RGB	ST7252	350	RTP
	WF52ATLASDNGA	5.2"	140.4×49.87	129.16×35.91	RGB	ST7252	400	PCAP
	WF52ATLASDNG0	5.2"	140.4×49.87	129.16×35.91	RGB	ST7252	400	PCAP
	WF52ATZASDNN0	5.2"	140.4×49.87	133.4×39.4	RGB	ST7252	400	No
	WF52ATZASDNG0	5.2"	140.4×49.87	129.16×35.91	RGB	ST7252	350	PCAP
	WF52ASZASDNN0	5.2"	140.4×49.87	133.4×39.4	RGB	ST7252	850	No
	WF52ASZASDNG0	5.2"	140.4×49.87	129.16×35.91	RGB	ST7252	700	PCAP
	WF52ASLASDNN0	5.2"	140.4×49.87	133.4×39.4	RGB	ST7252	1100	No
	WF52ASLASDNGA	5.2"	140.4×49.87	129.16×35.91	RGB	ST7252	880	PCAP
	WF52ASLASDNG0	5.2"	140.4×49.87	129.16×35.91	RGB	ST7252	880	PCAP
	WF52BTIASDNN0	5.2"	140.4×49.87	133.4×39.4	RGB	ST7252	500	No
	WF52BTIASDNT0	5.2"	140.4×49.87	130×36.6	RGB	ST7252	350	RTP
	WF52BTIASDNG0	5.2"	140.4×49.87	129.16×35.91	RGB	ST7252	400	PCAP
	WF52QSZBSDBN0	5.2"	180×65	133×39	MCU	SSD1963	850	No
	WF52QTLBSDBN0	5.2"	180×65×8.8	133×39	MCU	SSD1963	500	No
	WF52QTLBSDBG0	5.2"	180×65	129.16×35.91	MCU	SSD1963	400	PCAP
	WF52QTZBSDBN0	5.2"	180×65	133×39	MCU	SSD1963	400	No
280×1424	WF70C9SYAB4MNC10	7"	43.3×201	34.06×171.33	MIPI DSI	OTA7290N-C	800	PCAP
	WF70C9TYAB4MNN0	7"	38.2×186.62	33.6×170.88	MIPI DSI	OTA7290N-C	500	No

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
800×480	WF70B6SWAGLNN0	7"	169.8×109.7	154.9×93.8	LVDS	HX8249-A+HX8678-C	1100	No
	WF102ATIAGDNN0	10.2"	235×145.8	225.3×135.7	RGB	EK7718+EK7330	350	No
	WF102ATIAGDNTA	10.2"	235×145.8	225.3×135.7	RGB	EK7718+EK7330	250	No
1024×768	WF0840ATWAMLNN0	8.4"	199.5×149	174.9×132.2	LVDS	ST5821AH+ST5084AA	500	No
	WF0840ATWAMLNB0	8.4"	199.5×149	172.21×129.53	LVDS	ST5821AH+ST5084AA	400	No
	WF0840ASWAMLNN0	8.4"	199.5×149	174.9×132.2	LVDS	ST5821AH+ST5084AA	1000	No
	WF0840ASWAMLNB0	8.4"	199.5×149	172.21×129.53	LVDS	ST5821AH+ST5084AA	800	No
	WF104GTWAMLNN0	10.4"	230×180.2	215.4×161.8	LVDS	--	500	No
	WF104GTWAMLNB0	10.4"	240.6×190.8	212.2×159.4	LVDS	--	400	No
	WF104GSWAMLNN0	10.4"	230×180.2	215.4×161.8	LVDS	--	1000	No
WF104GSWAMLNB0	10.4"	240.6×190.8	212.2×159.4	LVDS	--	800	No	

Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	IC	Brightness (cd/m <sup>2</sup> )	Touch Screen
240×320	WF35NTVAJDNN0	3.5"	62.9×86.54	56.16×73.04	MCU	ST7511	500	No
320×240	WF57STIACDNN0	5.7"	160×109	118.28×88.64	MCU	ST7511	1000	No
	WF57STIACDNT0	5.7"	160×109	118.28×88.64	MCU	ST7511	700	RTP
	WF57STIACDNGB	5.7"	160×109	116.4×87.76	MCU	ST7511	800	PCAP
640×320	WF62ATXGRDNN0	6.2"	170.32×88.3	141.6×73.4	MCU	ST7511	600	No

# OLED Character



Display Format	Model No.	Structure			Size	Outline Dimension	Viewing Area	Active Area	Dot Pitch	Duty	Power Supply	Interface	IC
		COB	COG	PCB									
8x2	WEH000802A	●			1.2"	58x32	38x16	28.16x11.86	0.60x0.70	1/16	5V	6800,8080,SPI	WS0010-TX
12x2	WEH001202A	●			1.6"	55.7x32	46x14.5	38.95x11.8	0.55x0.70	1/16	5V	6800,8080,SPI	WS0010-TX
16x1	WEH001601B	●			2.25"	80x36	66x16	56.95x5.55	0.60x0.70	1/8	5V	6800,8080,SPI	WS0010-TX
16x2	WEH001602A	●			2.29"	80x36	66x16	56.95x11.85	0.60x0.70	1/16	5V	6800,8080,SPI	WS0010-TX
	WEH001602C	●			2.29"	85x36	66x16	56.95x11.85	0.60x0.70	1/16	5V	6800,8080,SPI	WS0010-TX
	WEH001602D	●			2.29"	85x30	66x16	56.95x11.85	0.60x0.70	1/16	5V	6800,8080	WS0010-TX
	WEH001602E	●			2.29"	84x44	66x16	56.95x11.85	0.60x0.70	1/16	5V	6800,8080,SPI	WS0010-TX
	WEH001602H	●			3.67"	122x44	98x21	91.14x18.98	0.96x1.12	1/16	5V	6800,8080,SPI	WS0010-TX
	WEH001602I	●			3.67"	122x44	98x21	91.14x18.98	0.96x1.12	1/16	5V	6800,8080,SPI	WS0010-TX
20x2	WEH002002A	●			3.08"	116x37	85x18.6	77.3x11.85	0.65x0.70	1/16	5V	6800,8080,SPI	WS0010-TX
20x4	WEH002004A	●			2.88"	98x60	77x25.2	70.16x20.95	0.59x0.60	1/16	5V	6800,8080,SPI	WS0010-TX
	WEH002004B	●			2.88"	98x60	77x25.2	70.16x20.95	0.59x0.60	1/16	5V	6800,8080,SPI	WS0010-TX
40x2	WEH004002A	●			5.85"	182x38.5	154.4x16.5	148.13x11.85	0.62x0.70	1/16	5V	6800,8080,SPI	WS0010-TX
16x2	WEO001602B	●	●		1.23"	53x20	36x10	30.69x5.94	0.34x0.36	1/16	5V	6800,8080,SPI,I2C	WS0012
	WEO001602H	●			1.23"	39.1x15.8	32.69x7.94	30.69x5.94	0.342x0.36	1/16	3V	6800,8080,SPI,I2C	WS0012
	WEO001602C	●			2.26"	68.5x17.5	58.22x13.52	56.22x11.52	0.60x0.70	1/16	3V/5V	6800,8080,SPI,I2C	SSD1311
	WEO001602G	●	●		2.26"	84x44	58.22x13.52	56.22x11.52	0.60x0.70	1/16	3V/5V	6800,8080,SPI,I2C	SSD1311
20x2	WEO002002A	●			2.93"	84.5x19.28	75.52x13.52	73.52x11.52	0.65x0.70	1/16	3V/5V	6800,8080,SPI,I2C	SSD1311
20x4	WEO002004C	●			2.89"	84.5x27.5	72.42x22.82	70.42x20.82	0.60x0.60	1/32	3V/5V	6800,8080,SPI,I2C	SSD1311
20x2	WEA002002A	●	●		2.93"	92.3x23.3	75.52x13.52	73.52x11.52	0.65x0.70	1/16	3.3V	6800,8080,SPI,I2C	SSD1311
20x4	WEA002004C	●	●		2.89"	92x31.5	72.42x22.82	70.42x20.82	0.60x0.60	1/32	3V/5V	6800,8080,SPI,I2C	SSD1311

# OLED Graphic

Display Format	Model No.	Structure			Size	Outline Dimension	Viewing Area	Active Area	Dot Pitch	Duty	Power Supply	Interface	IC
		COB	COG	PCB									
50x16	WEG005016A	●			1.26"	58x32	38x16	29.96x11.16	0.60x0.70	1/16	5V	6800,8080,SPI	WS0010-TX
76x16	WEG007616A	●			1.7"	55.7x32	46x14.5	47.7x11.1	0.55x0.70	1/16	5V	6800,8080,SPI	WS0010-TX
100x16	WEG010016A	●			2.4"	80x36	66x16	59.95x11.15	0.60x0.70	1/16	5V	6800,8080,SPI	WS0010-TX
	WEG010016C	●			2.4"	85x36	66x16	59.95x11.15	0.60x0.70	1/16	5V	6800,8080,SPI	WS0010-TX
	WEG010016D	●			2.4"	85x30	66x16	59.95x11.15	0.60x0.70	1/16	5V	6800,8080	WS0010-TX
	WEG010016E	●			2.4"	84x44	66x16	59.95x11.15	0.60x0.70	1/16	5V	6800,8080,SPI	WS0010-TX
	WEG010016F	●			2.59"	116x37	85x18.6	64.95x11.15	0.65x0.70	1/16	5V	6800,8080,SPI	WS0010-TX
	WEG010016J	●			3.84"	122x44	98x21	95.94x17.86	0.96x1.12	1/16	5V	6800	WS0010-TX
100x32	WEG010032A	●			2.44"	98x60	77x25.2	58.95x19.15	0.59x0.60	1/16	5V	6800,8080,SPI	WS0010-TX
	WEG010032B	●			2.44"	98x60	77x25.2	58.95x19.15	0.59x0.60	1/16	5V	6800,8080,SPI	WS0010-TX
200x16	WEG020016A	●			4.9"	182x38.5	154.4x16.5	123.95x11.15	0.62x0.70	1/16	5V	6800	WS0010-TX
48x64	WEO004864A	●			0.71"	13.9x22	12.14x16.3	10.54x14.7	0.22x0.23	1/64	3V	I2C	SSD1306
64x32	WEO006432A	●			0.49"	14.5x11.6	12.58x6.58	11.18x5.58	0.175x0.175	1/32	3V	I2C	SSD1306
64x48	WEO006448A	●			0.66"	18.46x18.1	15.42x12.06	13.42x10.06	0.21x0.21	1/48	3V	6800,8080,SPI,I2C	SSD1306
	WEO006448B	●			0.66"	18.46x18.1	15.42x12.06	13.42x10.06	0.21x0.21	1/48	3V	6800,8080,SPI,I2C	SSD1315
64x128	WEO064128A	●			0.96"	14x28	11.86x22.74	10.86x21.74	0.17x0.17	1/64	3V	SPI,I2C	SH1107
96x16	WEO009616A	●			0.84"	29.1x9.2	23.104x5.504	21.104x3.504	0.22x0.22	1/16	3V	I2C	SSD1306
	WEO009616B	●			0.69"	26.3x8	19.26x5.18	17.26x3.18	0.18x0.20	1/16	3V	I2C	SSD1306
96x32	WEO009632B	●			0.68"	19.8x12.32x1.21	17.298x6.418	16.298x5.418	0.17x0.17	1/32	3V	6800,8080,SPI,I2C	SSD1305
96x64	WEO009664A	●			0.95"	24.9x22.95	21.953x15.424	19.946x13.418	0.208x0.21	1/64	3V	6800,8080,SPI,I2C	SSD1305
	WEO009664B	●			1.1"	29x22.5	24.54x17.02	22.53x15.01	0.235x0.235	1/64	3V	6800,8080,SPI,I2C	SSD1327

Display Format	Model No.	Structure			Size	Outline Dimension	Viewing Area	Active Area	Dot Pitch	Duty	Power Supply	Interface	IC
		COG	PCB	FR									
128x32	WEO012832A	●			2.23"	62x24	57.02x15.1	55.018x13.098	0.43x0.41	1/32	3V	6800,8080,SPI,I2C	SSD1305
	WEO012832D	●			0.91"	30x11.5	24.384x7.584	22.384x5.584	0.175x0.175	1/32	3V	SPI	SSD1306
	WEO012832F	●			0.91"	30x11.5	24.384x7.584	22.384x5.584	0.175x0.175	1/32	3V	I2C	SSD1306
	WEO012832P	●			1.71"	50.50x15.75	44.22x12.54	42.22x10.54	0.33x0.33	1/32	3V	SPI,I2C	CH1115
	WEO012832K	●			2.0"	59x18.86	52.535x12.695	50.535x10.695	0.395x0.335	1/32	3V	6800,8080,SPI,I2C	SSD1315
	WEO012832N	●			2.23"	62x24	57.02x15.1	55.016x13.096	0.43x0.41	1/32	3V	6800,8080,SPI,I2C	SH1106
128x64	WEO012864A	●			1.54"	42.04x27.22	37.05x19.52	35.05x17.51	0.274x0.274	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864AA	●			1.54"	42.04x27.22	37.05x19.51	35.05x17.51	0.274x0.274	1/64	3V	6800,8080,SPI,I2C	SSD1327
	WEO012864AB	●			0.96"	24.7x16.59	22.74x12.2	21.74x11.2	0.17x0.17	1/64	3V	6800,8080,SPI,I2C	SSD1315
	WEO012864AC	●			0.96"	26.7x19.26	23.94x12.06	21.74x10.86	0.17x0.17	1/64	3V	6800,8080,SPI,I2C	SSD1315
	WEO012864AD	●			0.96"	26.7x19.26	23.94x12.06	21.74x10.86	0.17x0.17	1/64	3V	6800,8080,SPI,I2C	ST7315
	WEO012864AE	●			1.54"	42.04x27.22	37.05x19.51	35.05x17.51	0.274x0.274	1/64	3V	6800,8080,SPI,I2C	CH1116
	WEO012864AH	●			1.54"	42.04x27.22	37.05x19.51	35.05x17.51	0.274x0.274	1/64	3V	6800,8080,SPI,I2C	SH1106
	WEO012864AJ	●			2.42"	60.5x37	57.01x28.91	55.01x27.49	0.43x0.43	1/64	3V	6800,8080,SPI,I2C	CH1116
	WEO012864AK	●			2.7"	73.0x41.86	63.41x32.69	61.41x30.69	0.48x0.48	1/64	3V	6800,8080,SPI,I2C	CH1116
	WEO012864AL	●			2.42"	60.5x37	57.01x28.91	55.01x27.49	0.43x0.43	1/64	3V	6800,8080,SPI,I2C	SH1106
	WEO012864AM	●			2.7"	73.0x41.86	63.41x32.69	61.41x30.69	0.48x0.48	1/64	3V	6800,8080,SPI,I2C	SH1106
	WEO012864C	●			0.96"	26.7x19.26	23.34x11.46	21.74x10.86	0.17x0.17	1/64	3V	6800,8080,SPI,I2C	SH1106
	WEO012864D	●			0.96"	26.7x19.26	23.938x12.058	21.738x10.858	0.17x0.17	1/64	3V	6800,8080,SPI,I2C	SSD1306
	WEO012864G	●			2.42"	60.5x37	57.01x28.91	55.01x27.49	0.43x0.43	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864H	●			2.42"	60.5x37	57.01x28.91	55.01x27.49	0.43x0.43	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864J	●	●	●	2.42"	75x52.7	57.01x29.49	55.01x27.49	0.43x0.43	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864K	●			2.7"	73x41.86	63.41x32.69	61.41x30.69	0.48x0.48	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864L	●			1.28"	34.5x23	31.32x15.62	29.42x14.2	0.23x0.222	1/64	3V	6800,8080,SPI,I2C	SH1106
WEO012864MX	●			0.96"	26.7x19.26	23.744x13.204	21.744x11.204	0.17x0.17	1/64	3V	6800,8080,SPI,I2C	SSD1306	
WEO012864Q	●			2.7"	73x41.86	63.41x32.69	61.41x30.69	0.48x0.48	1/64	3V	6800,8080,SPI,I2C	SSD1309	
WEO012864U	●			2.7"	73x41.86	63.41x32.69	61.41x30.69	0.48x0.48	1/64	3V	6800,8080,SPI,I2C	SSD1357	
WEO012864V	●			0.96"	24.74x16.9	22.74x11.86	21.74x10.86	0.17x0.17	1/64	3V	SPI,I2C	SSD1315	
WEO012864Y	●			1.54"	45.24x29.14	37.05x19.51	35.05x17.51	0.274x0.274	1/64	3V	6800,8080,SPI,I2C	SSD1309	
128x128	WEO128128A	●			1.5"	33.8x36.5	28.86x28.86	26.86x26.86	0.21x0.21	1/128	3V	6800,8080,SPI,I2C	SSD1327
	WEO128128B	●			1.18"	37.18x41.23	Ø31	Ø30	0.235x0.235	1/128	3V	6800,8080,SPI,I2C	SSD1327
	WEO128128H	●			1.5"	33.80x36.50	28.86x28.86	26.86x26.86	0.21x0.21	1/128	3V	8080,SPI,I2C	CH1120
160x128	WEO128128G	●			1.12"	25.9x30.1	22.076x22.076	20.076x20.076	0.157x0.157	1/128	3.3V	6800,8080,SPI,I2C	SH1107
	WEO160128B	●			1.92"	34.5x48.8	30.908x41.34	28.908x39.34	0.226x0.246	1/128	3V	6800,8080,SPI,I2C	CH1120
256x64	WEO025664A	●			2.08"	60.5x19	53.18x14.78	51.18x12.78	0.2x0.2	1/64	3V	6800,8080,SPI,I2C	SSD1362
	WEO025664D	●			3.55"	99.2x33.5	89.52x23.28	87.52x21.28	0.342x0.333	1/64	3V	6800,8080,SPI	SSD1322
48x64	WEA004864A	●	●		0.71"	15.9x27	12.14x16.3	10.54x14.7					



Display Format	Model No.	Structure			Size	Outline Dimension	Viewing Area	Active Area	Dot Pitch	Duty	Power Supply	Interface	IC
		COG	PCB	FR									
128×64	WEA012864MX	●	●		0.96"	27.3×27.3	23.746×13.206	21.746×11.206	0.17×0.17	1/64	3V/5V	I2C	SSD1306
128×128	WEA128128A	●	●		1.5"	34.2×45.5	28.86×28.86	26.86×26.86	0.21×0.21	1/128	3.3V/5V	SPI,I2C	SSD1327
	WEA128128G	●	●		1.12"	26.4×38.6	22.08×22.08	20.076×20.076	0.157×0.157	1/128	3V	SPI	SH1107
256×64	WEA025664A	●	●		2.08"	70×22	53.18×14.78	51.18×12.78	0.2×0.2	1/64	3V	SPI	SSD1362
128×64	WEF012864H	●	●		2.42"	77.2×42.14	57.01×28.91	55.01×27.49	0.43×0.43	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEF012864G	●	●		2.42"	77.2×42.14	57.01×28.91	55.01×27.49	0.43×0.43	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEF012864U	●	●		2.7"	89.7×47.2	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1357
	WEF012864K	●	●		2.7"	89.7×47.2	63.41×32.69	61.41×30.69	0.48×0.48	1/64	4V	6800,8080,SPI,I2C	SSD1309
	WEF012864Q	●	●		2.7"	89.7×47.2	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1309
128×32	WEP012832A	●	●	●	2.23"	66.5×35	59×17.1	55.018×13.098	0.43×0.41	1/32	3V	6800,8080,SPI,I2C	SSD1305
128×64	WEP012864AJ	●	●	●	2.42"	75×52.7	57.01×29.49	55.01×27.49	0.43×0.43	1/64	3V/5V	8080,RS232	CH1116
	WEP012864Q	●	●	●	2.7"	82.0×47.5	64.41×33.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEP012864U	●	●	●	2.7"	82×47.5	64.41×33.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1357
256×64	WEX025664A	●			2.8"	84×25.8	71.104×19.264	69.098×17.258	0.27×0.27	1/64	3V	6800,8080,SPI	SSD1322
	WEX025664B	●			3.12"	88×27.8	78.78×21.18	76.778×19.178	0.30×0.30	1/64	3V	6800,8080,SPI	SSD1322
	WEX025664D	●			5.5"	146×45	137.65×35.89	135.65×33.89	0.53×0.53	1/64	3V	6800,8080,SPI	SSD1322
	WEN025664A	●	●	●	2.8"	85×39.8	72×20	69.1×17.26	0.27×0.27	1/64	3V	6800,8080,SPI	SSD1322
	WEN025664B	●	●	●	3.12"	89.2×44	78.78×21.18	76.78×19.18	0.30×0.30	1/64	3V	6800,8080,SPI	SSD1322
	WEN025664D	●	●	●	5.5"	147×59	137.65×35.89	135.65×33.89	0.53×0.53	1/64	3V	6800,8080,SPI	SSD1322

## Smart Display



Display Format	Model No.	Size	Outline Dimension (WxH)mm	Viewing Area (WxH)mm	Interface	Brightness (cd/m²)	Type	Protocol	Power Supply
320×240	WLOF00035000XGAAASA00	3.5"	100×82	71×53.51	CAN	400	TFT	CANopen	5V
	WLOF00035000XGAABSA00	3.5"	100×82	71×53.51	CAN	400	TFT	Custom CAN ID	5V
480×128	WLOF00039000QGAAASA00	3.9"	105.5×37	96.04×26.34	CAN	400	TFT	CANopen	5V
480×272	WLOF00043000WGAAASA00	4.3"	119.3×67.2	98.16×56.856	CAN	400	TFT	CANopen	5V
	WLOF00043000WGAABSA00	4.3"	119.3×67.2	98.16×56.856	CAN	400	TFT	Custom CAN ID	5V
800×480	WLOF00050000FGAAASA00	5"	132.7×75.8	109×65.6	CAN	400	TFT	CANopen	5V
	WLOF00050000FGAACSA00	5"	132.7×75.8	109×65.6	CAN	400	TFT	CANopen	5V
	WLOF00050000FGAACSA01	5"	132.7×75.8	109×65.6	CAN	750	TFT	CANopen	5V
	WLOF00050000FGAADSAA00	5"	132.7×75.8	109×65.6	CAN	400	TFT	Custom CAN ID	5V
1024×600	WLOF0007000A8GAAASA00	7"	169.9×103.4	155.22×87.19	CAN	450	TFT	CANopen	12V
	WLOF0007000A8GAACSA00	7"	169.9×103.4	155.22×87.19	CAN	450	TFT	Custom CAN ID	12V
	WLOF0007000A8GAAASA01	7"	169.9×103.4	155.22×87.19	CAN	850	TFT	CANopen	12V
	WLOF00101000JGAABSA00	10.1"	235×143	223.72×126.28	CAN	400	TFT	CANopen	12V
	WLOF00101000JGAACSA00	10.1"	235×143	223.72×126.28	CAN	400	TFT	Custom CAN ID+GPIO	12V
256×64	WLEP02566400DGAAASA00	3.55"	107×68.7	88.52×22.28	CAN	--	OLED	CANopen	5V
320×240	WLOF00035000XGDAASA00	3.5"	100×82	71×53.51	RS485	400	TFT	Modbus	5V
480×272	WLOF00043000WGDAASA00	4.3"	119.3×67.2	98.16×56.856	RS485	400	TFT	Modbus	5V
800×480	WLOF00050000FGDAASA00	5"	132.7×75.8	109×65.6	RS485	400	TFT	Modbus	5V
	WLOF00050000FGDABSA00	5"	132.7×75.8	109×65.6	RS485	400	TFT	Modbus	5V
1024×600	WLOF0007000A8GDAASA00	7"	184.1×103.8	155.22×87.19	RS485	450	TFT	Modbus	12V
	WLOF00101000JGDAASA00	10.1"	235×143	223.72×126.28	RS485	400	TFT	Modbus	12V
320×240	WLOF00035000LNFAAEA00	3.5"	100×66.1	73.1×55.5	UART	420	TFT	Customized UART	5V
480×272	WLOF00043000UNFAAEA00	4.3"	125.5×67.2	98.9×57.7	UART	480	TFT	Customized UART	5V
	WLOF00043000UGFAAEA00	4.3"	125.5×67.2	96.24×54.66	UART	480	TFT	Customized UART	5V

## OLED OLED Touch / OLED Knob

Display Format	Model No.	Structure				Size	Outline Dimension	Viewing Area	Active Area	Dot Pitch	Duty	Power Supply	Interface	IC
		COG	COF	PCB	FR									
128×32	WEO012832M-CTP	●				0.91"	30×11.5	24.38×7.58	22.38×5.58	0.175×0.175	1/32	3V	SPI,I2C	SSD7317
128×64	WEO012864A-CTP	●				1.54"	43.04×28.22	37.05×19.52	35.05×17.51	0.274×0.274	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864G-CTP	●				2.42"	66.8×41.3	56.01×28.49	55.01×27.49	0.43×0.43	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864J-CTP	●	●	●		2.42"	75×52.7	57.01×29.49	55.01×27.49	0.43×0.43	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864Q-CTP	●				2.7"	73×41.16	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1309
128×128	WEO128128D-CTP	●				1.18"	Ø50.5	Ø31	Ø30	0.235×0.235	1/128	3V	SPI,I2C	SSD1327
128×32	WEP012832A-CTP	●	●	●		2.23"	66.5×35	56.02×14.1	55.018×13.098	0.43×0.41	1/32	3V	6800,8080,SPI,I2C	SSD1305
256×64	WEO025664D-CTP	●				3.55"	100.4×36.1	88.52×22.28	87.52×21.28	0.342×0.333	1/64	3V	6800,8080,SPI	SSD1322
128×64	WEP012864Q-CTP	●	●	●		2.7"	82×47.5	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEP012864U-CTP	●	●	●		2.7"	82×47.5	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1357
256×64	WEX025664B-CTP	●				3.12"	89.2×29	78.78×21.18	76.778×19.178	0.3×0.3	1/64	3V	6800,8080,SPI	SSD1322
	WEN025664A-CTP	●	●	●		2.8"	85×39.8	71.1×19.26	69.1×17.26	0.27×0.27	1/64	3V	6800,8080,SPI	SSD1322
	WEN025664B-CTP	●	●	●		3.12"	89.2×44	78.78×21.18	76.78×19.18	0.3×0.3	1/64	3V	6800,8080,SPI	SSD1322
	WEN025664D-CTP	●	●	●		5.5"	147×59	137.5×35.59	135.65×33.89	0.53×0.53	1/64	3V	6800,8080,SPI	SSD1322
128×64	WEO012864Z	●				0.96"	Ø39.4×24.8	22.74×11.86	21.74×10.86	0.17×0.17	1/64	3V	SPI,I2C	SSD1306
128×128	WEO128128D-CTP-Knob	●				1.18"	Ø56	Ø31	Ø30	0.235×0.235	1/128	3V	SPI,I2C	SSD1327